

DFLIFT

Make the work easier

2T Stationary Scissor Lift






Henan Dafang Heavy Machine Co., LTD




www.dflift.com

Technical Specifications

S/N	ITEM	DESCRIPTION
1.	Model	SJG
2.	Rated capacity	2000Kg
3.	Lifting height	4300mm
4.	Platform size	3658*3658mm
5	Motor	2.2Kw
6.	Operate way:	AC
7.	Voltage	380V/50Hz/3Ph
8.	Material	Q235B steel
9.	Painting color	As you like (Common colors: blue, red, orange)
10.	Whole machine power	Electric-hydraulic
11.	Insurance	Our products covered by China United Insurance Company

Characteristics

Items	Configuration description & brand
	Scissors 160 rectangular tube
	Platform: Table 5mm+10# channel steel
	Hydraulic cylinder: Hebei hengyu brand, joint venture with German. Bulit-in explosion-proof valves; Seals are Japan brand, durable & leakless.

	<p>Electric box & Main electrical parts: famous brand, contactors listed connection. Install with thermal overload protection, phase-lack & other safety devices</p>
	<p>Axle pin:45 # round steel, quenching and tempering. Between the axle pins installed SF-2 oil-free self-lubricating bearing.</p>
	<p>Pump station: Specialized hydraulic pump station. Installed with emergency drop valve, can manual control decline when outage; Built-in relief valve as overload protection for preventing high system pressure when upward.</p>

Product Show





Package and Shipping



